

Report Created: 6/7/2017
Time: 1:29pm

Cross Section Set Name: Droga glowna_3
Alignment Name: Droga glowna

Input Grid Factor:
1.000000

Note: All units in this report are in meters, square
meters and cubic meters unless specified
otherwise.

Station	Type	Area	Volume	Factor	Adjusted Volume	Included in Mass Ordinate?	Mass Ordinate
0+00,00							0
	WYKOP:	11,24	0	1	0	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,46	0		0		
	Default (replaced):	0,46	0	1	0	Yes	
	Default (not replaced):	2,98	0	1	0	No	
	Total Default:	3,43	0	1	0		
	01 sma scieralna:	0,24	0	1	0	No	
	03 ba podbudowa:	0,44	0	1	0	No	
	PODUSZKA KERAMZYTOWA	8,54	0	1	0	No	
	02 ba wiazaca:	0,31	0	1	0	No	
	04 kruszywo podbudowa:	1,37	0	1	0	No	
	W-wa mrozochronna	3,07	0	1	0	No	
0+01,00							10,77
	WYKOP:	11,2	11,22	1	11,22	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,43	0,45		0,45		
	Default (replaced):	0,43	0,45	1	0,45	Yes	
	Default (not replaced):	2,98	2,98	1	2,98	No	
	Total Default:	3,41	3,42	1	3,42		
	01 sma scieralna:	0,24	0,24	1	0,24	No	
	03 ba podbudowa:	0,44	0,44	1	0,44	No	
	PODUSZKA KERAMZYTOWA	8,49	8,52	1	8,52	No	
	02 ba wiazaca:	0,31	0,31	1	0,31	No	
	04 kruszywo podbudowa:	1,37	1,37	1	1,37	No	
	W-wa mrozochronna	3,1	3,09	1	3,09	No	
0+11,00							119,7
	WYKOP:	11,24	112,19	1	112,19	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,22	3,26		3,26		
	Default (replaced):	0,22	3,26	1	3,26	Yes	
	Default (not replaced):	3,16	30,68	1	30,68	No	
	Total Default:	3,38	33,94	1	33,94		
	01 sma scieralna:	0,24	2,42	1	2,42	No	
	03 ba podbudowa:	0,44	4,39	1	4,39	No	
	PODUSZKA KERAMZYTOWA	8,43	84,61	1	84,61	No	
	02 ba wiazaca:	0,31	3,07	1	3,07	No	
	04 kruszywo podbudowa:	1,37	13,73	1	13,73	No	
	W-wa mrozochronna	3,32	32,09	1	32,09	No	
0+25,00							265,95
	WYKOP:	10,89	154,95	1	154,95	Yes	
	NASYP:	0,03	0,21	1	0,21	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	1,03	8,71		8,71		
	Default (replaced):	1	8,5	1	8,5	Yes	
	Default (not replaced):	2,97	42,89	1	42,89	No	
	Total Default:	3,97	51,38	1	51,38		
	01 sma scieralna:	0,24	3,38	1	3,38	No	
	03 ba podbudowa:	0,44	6,15	1	6,15	No	
	PODUSZKA KERAMZYTOWA	8,64	119,51	1	119,51	No	
	02 ba wiazaca:	0,31	4,29	1	4,29	No	
	04 kruszywo podbudowa:	1,37	19,22	1	19,22	No	
	W-wa mrozochronna	2,89	43,46	1	43,46	No	
0+50,00							524,28
	WYKOP:	11,58	280,86	1	280,86	Yes	
	NASYP:	0	0,41	1	0,41	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,78	22,53		22,53		

	Default (replaced):	0,77	22,12	1	22,12	Yes	
	Default (not replaced):	2,9	73,37	1	73,37	No	
	Total Default:	3,67	95,49	1	95,49		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	8,52	214,52	1	214,52	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	3,65	81,72	1	81,72	No	
0+75,00							787,25
	WYKOP:	11,26	285,41	1	285,41	Yes	
	NASYP:	0,02	0,29	1	0,29	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	1,02	22,44		22,44		
	Default (replaced):	1	22,15	1	22,15	Yes	
	Default (not replaced):	2,9	72,55	1	72,55	No	
	Total Default:	3,9	94,7	1	94,7		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	8,59	213,78	1	213,78	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	3,56	90,11	1	90,11	No	
1+00,00							1041,28
	WYKOP:	10,61	273,3	1	273,3	Yes	
	NASYP:	0	0,26	1	0,26	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,52	19,27		19,27		
	Default (replaced):	0,52	19,01	1	19,01	Yes	
	Default (not replaced):	2,93	72,94	1	72,94	No	
	Total Default:	3,45	91,95	1	91,95		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	8,57	214,45	1	214,45	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,52	75,94	1	75,94	No	
1+25,00							1283,11
	WYKOP:	9,75	254,41	1	254,41	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,48	12,58		12,58		
	Default (replaced):	0,48	12,58	1	12,58	Yes	
	Default (not replaced):	2,9	72,88	1	72,88	No	
	Total Default:	3,38	85,47	1	85,47		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,58	201,94	1	201,94	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,68	64,96	1	64,96	No	
1+50,00							1510,53
	WYKOP:	9,14	236,07	1	236,07	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,21	8,64		8,64		
	Default (replaced):	0,21	8,64	1	8,64	Yes	
	Default (not replaced):	3,17	75,89	1	75,89	No	
	Total Default:	3,38	84,53	1	84,53		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,58	189,62	1	189,62	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	1,94	57,78	1	57,78	No	
1+75,00							1723,06
	WYKOP:	9,3	230,49	1	230,49	Yes	
	NASYP:	0,05	0,57	1	0,57	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	1,23	17,96		17,96		
	Default (replaced):	1,18	17,38	1	17,38	Yes	
	Default (not replaced):	2,94	76,36	1	76,36	No	

	Total Default:	4,12	93,74	1	93,74		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,75	191,72	1	191,72	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,49	55,41	1	55,41	No	
1+94,78							1890,38
	WYKOP:	8,85	179,47	1	179,47	Yes	
	NASYP:	0	0,45	1	0,45	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	12,16	1	12,16		
	Default (replaced):	0	11,7	1	11,7	Yes	
	Default (not replaced):	3,38	62,46	1	62,46	No	
	Total Default:	3,38	74,16	1	74,16		
	01 sma scieralna:	0,24	4,78	1	4,78	No	
	03 ba podbudowa:	0,44	8,68	1	8,68	No	
	PODUSZKA KERAMZYTOWA	7,58	151,69	1	151,69	No	
	02 ba wiazaca:	0,31	6,07	1	6,07	No	
	04 kruszywo podbudowa:	1,37	27,16	1	27,16	No	
	W-wa mrozoochronna	1,76	42,06	1	42,06	No	
2+00,00							1935,51
	WYKOP:	8,9	46,32	1	46,32	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,46	1,19	1	1,19		
	Default (replaced):	0,46	1,19	1	1,19	Yes	
	Default (not replaced):	2,92	16,44	1	16,44	No	
	Total Default:	3,38	17,64	1	17,64		
	01 sma scieralna:	0,24	1,26	1	1,26	No	
	03 ba podbudowa:	0,44	2,29	1	2,29	No	
	PODUSZKA KERAMZYTOWA	7,58	39,59	1	39,59	No	
	02 ba wiazaca:	0,31	1,6	1	1,6	No	
	04 kruszywo podbudowa:	1,37	7,17	1	7,17	No	
	W-wa mrozoochronna	1,86	9,47	1	9,47	No	
2+25,00							2147,93
	WYKOP:	9,49	229,92	1	229,92	Yes	
	NASYP:	0,03	0,35	1	0,35	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,94	17,51	1	17,51		
	Default (replaced):	0,92	17,16	1	17,16	Yes	
	Default (not replaced):	2,94	73,3	1	73,3	No	
	Total Default:	3,86	90,45	1	90,45		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,64	190,34	1	190,34	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,69	56,95	1	56,95	No	
2+50,00							2361,77
	WYKOP:	9,33	235,29	1	235,29	Yes	
	NASYP:	0,01	0,45	1	0,45	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,77	21,44	1	21,44		
	Default (replaced):	0,76	21	1	21	Yes	
	Default (not replaced):	3,17	76,37	1	76,37	No	
	Total Default:	3,93	97,37	1	97,37		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,71	191,96	1	191,96	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,14	60,42	1	60,42	No	
2+75,00							2587,22
	WYKOP:	9,97	241,25	1	241,25	Yes	
	NASYP:	0	0,1	1	0,1	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,49	15,8	1	15,8		
	Default (replaced):	0,49	15,7	1	15,7	Yes	
	Default (not replaced):	3,01	77,28	1	77,28	No	
	Total Default:	3,51	92,99	1	92,99		

	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,83	194,26	1	194,26	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,55	58,62	1	58,62	No	
2+85,59							2689,35
	WYKOP:	9,82	104,75	1	104,75	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	2,62	1	2,62		
	Default (replaced):	0	2,62	1	2,62	Yes	
	Default (not replaced):	4,04	37,34	1	37,34	No	
	Total Default:	4,04	39,96	1	39,96		
	01 sma scieralna:	0,24	2,56	1	2,56	No	
	03 ba podbudowa:	0,44	4,65	1	4,65	No	
	PODUSZKA KERAMZYTOWA	8,5	86,42	1	86,42	No	
	02 ba wiazaca:	0,31	3,25	1	3,25	No	
	04 kruszywo podbudowa:	1,37	14,54	1	14,54	No	
	W-wa mrozochronna	2,18	25	1	25	No	
3+00,00							2825,92
	WYKOP:	9,55	139,63	1	139,63	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,42	3,05	1	3,05		
	Default (replaced):	0,42	3,05	1	3,05	Yes	
	Default (not replaced):	2,96	50,45	1	50,45	No	
	Total Default:	3,38	53,5	1	53,5		
	01 sma scieralna:	0,24	3,48	1	3,48	No	
	03 ba podbudowa:	0,44	6,33	1	6,33	No	
	PODUSZKA KERAMZYTOWA	7,58	115,91	1	115,91	No	
	02 ba wiazaca:	0,31	4,42	1	4,42	No	
	04 kruszywo podbudowa:	1,37	19,79	1	19,79	No	
	W-wa mrozochronna	2,61	34,51	1	34,51	No	
3+25,00							3050,6
	WYKOP:	9,02	232,24	1	232,24	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,18	7,56	1	7,56		
	Default (replaced):	0,18	7,56	1	7,56	Yes	
	Default (not replaced):	3,2	76,95	1	76,95	No	
	Total Default:	3,38	84,51	1	84,51		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,58	189,62	1	189,62	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	1,91	56,55	1	56,55	No	
3+50,00							3266,21
	WYKOP:	8,87	223,73	1	223,73	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,47	8,11	1	8,11		
	Default (replaced):	0,47	8,11	1	8,11	Yes	
	Default (not replaced):	2,95	76,85	1	76,85	No	
	Total Default:	3,42	84,96	1	84,96		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	6,79	179,63	1	179,63	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,46	54,7	1	54,7	No	
3+75,00							3468,12
	WYKOP:	8,22	213,67	1	213,67	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,48	11,77	1	11,77		
	Default (replaced):	0,48	11,77	1	11,77	Yes	
	Default (not replaced):	2,91	73,31	1	73,31	No	
	Total Default:	3,39	85,07	1	85,07		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	

	PODUSZKA KERAMZYTOWA	6,74	169,1	1	169,1	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,1	57,06	1	57,06	No	
4+00,00							3664,14
	WYKOP:	8,63	210,66	1	210,66	Yes	
	NASYP:	0,01	0,14	1	0,14	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,7	14,64		14,64		
	Default (replaced):	0,68	14,5	1	14,5	Yes	
	Default (not replaced):	3,28	77,45	1	77,45	No	
	Total Default:	3,97	91,95	1	91,95		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,02	172,08	1	172,08	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,51	57,67	1	57,67	No	
4+25,00							3862,44
	WYKOP:	8,13	209,58	1	209,58	Yes	
	NASYP:	0	0,14	1	0,14	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,21	11,28		11,28		
	Default (replaced):	0,21	11,14	1	11,14	Yes	
	Default (not replaced):	3,18	80,79	1	80,79	No	
	Total Default:	3,39	91,93	1	91,93		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	6,74	172,08	1	172,08	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2	56,4	1	56,4	No	
4+50,00							4054,79
	WYKOP:	8,35	206,02	1	206,02	Yes	
	NASYP:	0,02	0,23	1	0,23	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,89	13,68		13,68		
	Default (replaced):	0,87	13,44	1	13,44	Yes	
	Default (not replaced):	2,95	76,69	1	76,69	No	
	Total Default:	3,82	90,14	1	90,14		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	6,75	168,69	1	168,69	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,32	53,96	1	53,96	No	
4+75,00							4249,27
	WYKOP:	8,18	206,6	1	206,6	Yes	
	NASYP:	0	0,23	1	0,23	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,08	12,12		12,12		
	Default (replaced):	0,08	11,88	1	11,88	Yes	
	Default (not replaced):	3,31	78,24	1	78,24	No	
	Total Default:	3,39	90,13	1	90,13		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	6,74	168,69	1	168,69	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	1,95	53,37	1	53,37	No	
5+00,00							4463,44
	WYKOP:	9,17	216,94	1	216,94	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,14	2,76		2,76		
	Default (replaced):	0,14	2,76	1	2,76	Yes	
	Default (not replaced):	3,37	83,48	1	83,48	No	
	Total Default:	3,51	86,24	1	86,24		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	6,91	170,63	1	170,63	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	

	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,31	53,24	1	53,24	No	
5+00,20							4465,43
	WYKOP:	10,82	2	1	2	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0,01		0,01		
	Default (replaced):	0	0,01	1	0,01	Yes	
	Default (not replaced):	4,21	0,76	1	0,76	No	
	Total Default:	4,21	0,77	1	0,77		
	01 sma scieralna:	0,24	0,05	1	0,05	No	
	03 ba podbudowa:	0,44	0,09	1	0,09	No	
	PODUSZKA KERAMZYTOWA	7,65	1,46	1	1,46	No	
	02 ba wiazaca:	0,31	0,06	1	0,06	No	
	04 kruszywo podbudowa:	1,37	0,27	1	0,27	No	
	W-wa mrozoochronna	2,31	0,46	1	0,46	No	
5+00,28							4466,23
	WYKOP:	9,44	0,81	1	0,81	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,08	0		0		
	Default (replaced):	0,08	0	1	0	Yes	
	Default (not replaced):	3,45	0,31	1	0,31	No	
	Total Default:	3,53	0,31	1	0,31		
	01 sma scieralna:	0,24	0,02	1	0,02	No	
	03 ba podbudowa:	0,44	0,04	1	0,04	No	
	PODUSZKA KERAMZYTOWA	6,91	0,58	1	0,58	No	
	02 ba wiazaca:	0,31	0,02	1	0,02	No	
	04 kruszywo podbudowa:	1,37	0,11	1	0,11	No	
	W-wa mrozoochronna	2,32	0,19	1	0,19	No	
5+25,00							4466,23
	WYKOP:	10,53	0	1	0	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,32	0		0		
	Default (replaced):	0,32	0	1	0	Yes	
	Default (not replaced):	3,99	0	1	0	No	
	Total Default:	4,31	0	1	0		
	01 sma scieralna:	0,24	0	1	0	No	
	03 ba podbudowa:	0,44	0	1	0	No	
	PODUSZKA KERAMZYTOWA	7,87	0	1	0	No	
	02 ba wiazaca:	0,31	0	1	0	No	
	04 kruszywo podbudowa:	1,37	0	1	0	No	
	W-wa mrozoochronna	3,22	0	1	0	No	
5+39,19							4466,23
	WYKOP:	10,38	0	1	0	Yes	
	NASYP:	0,01	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,73	0		0		
	Default (replaced):	0,73	0	1	0	Yes	
	Default (not replaced):	3,96	0	1	0	No	
	Total Default:	4,69	0	1	0		
	01 sma scieralna:	0,24	0	1	0	No	
	03 ba podbudowa:	0,44	0	1	0	No	
	PODUSZKA KERAMZYTOWA	7,74	0	1	0	No	
	02 ba wiazaca:	0,31	0	1	0	No	
	04 kruszywo podbudowa:	1,37	0	1	0	No	
	W-wa mrozoochronna	3,74	0	1	0	No	
5+39,29							4467,19
	WYKOP:	10,31	1,03	1	1,03	Yes	
	NASYP:	0,05	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,76	0,07		0,07		
	Default (replaced):	0,71	0,07	1	0,07	Yes	
	Default (not replaced):	3,9	0,39	1	0,39	No	
	Total Default:	4,61	0,46	1	0,46		
	01 sma scieralna:	0,24	0,02	1	0,02	No	
	03 ba podbudowa:	0,44	0,04	1	0,04	No	
	PODUSZKA KERAMZYTOWA	7,72	0,77	1	0,77	No	
	02 ba wiazaca:	0,31	0,03	1	0,03	No	
	04 kruszywo podbudowa:	1,37	0,14	1	0,14	No	
	W-wa mrozoochronna	3,74	0,37	1	0,37	No	

5+50,00							4572,5
	WYKOP:	10,35	110,61	1	110,61	Yes	
	NASYP:	0	0,25	1	0,25	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,23	5,3		5,3		
	Default (replaced):	0,23	5,05	1	5,05	Yes	
	Default (not replaced):	3,91	41,85	1	41,85	No	
	Total Default:	4,15	46,9	1	46,9		
	01 sma scieralna:	0,24	2,59	1	2,59	No	
	03 ba podbudowa:	0,44	4,7	1	4,7	No	
	PODUSZKA KERAMZYTOWA	7,67	82,37	1	82,37	No	
	02 ba wiazaca:	0,31	3,28	1	3,28	No	
	04 kruszywo podbudowa:	1,37	14,71	1	14,71	No	
	W-wa mrozoochronna	3,62	39,42	1	39,42	No	
5+75,00							4814,9
	WYKOP:	9,49	247,97	1	247,97	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,22	5,58		5,58		
	Default (replaced):	0,22	5,58	1	5,58	Yes	
	Default (not replaced):	3,16	88,46	1	88,46	No	
	Total Default:	3,38	94,04	1	94,04		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	6,74	180,09	1	180,09	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	3,24	85,79	1	85,79	No	
6+00,00							5039,21
	WYKOP:	9,13	232,81	1	232,81	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,46	8,5		8,5		
	Default (replaced):	0,46	8,5	1	8,5	Yes	
	Default (not replaced):	2,92	75,99	1	75,99	No	
	Total Default:	3,38	84,49	1	84,49		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	6,61	166,84	1	166,84	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,91	76,89	1	76,89	No	
6+18,61							5204,4
	WYKOP:	9,75	175,74	1	175,74	Yes	
	NASYP:	0,01	0,09	1	0,09	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,67	10,54		10,54		
	Default (replaced):	0,66	10,45	1	10,45	Yes	
	Default (not replaced):	3,24	57,29	1	57,29	No	
	Total Default:	3,9	67,74	1	67,74		
	01 sma scieralna:	0,24	4,5	1	4,5	No	
	03 ba podbudowa:	0,44	8,17	1	8,17	No	
	PODUSZKA KERAMZYTOWA	6,95	126,14	1	126,14	No	
	02 ba wiazaca:	0,31	5,71	1	5,71	No	
	04 kruszywo podbudowa:	1,37	25,56	1	25,56	No	
	W-wa mrozoochronna	3,34	58,14	1	58,14	No	
6+25,00							5259,38
	WYKOP:	9,53	61,59	1	61,59	Yes	
	NASYP:	0,04	0,16	1	0,16	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	1,4	6,6		6,6		
	Default (replaced):	1,36	6,44	1	6,44	Yes	
	Default (not replaced):	2,95	19,77	1	19,77	No	
	Total Default:	4,31	26,21	1	26,21		
	01 sma scieralna:	0,24	1,54	1	1,54	No	
	03 ba podbudowa:	0,44	2,8	1	2,8	No	
	PODUSZKA KERAMZYTOWA	7,02	44,62	1	44,62	No	
	02 ba wiazaca:	0,31	1,96	1	1,96	No	
	04 kruszywo podbudowa:	1,37	8,77	1	8,77	No	
	W-wa mrozoochronna	3,24	21,02	1	21,02	No	
6+50,00							5470,26

	WYKOP:	8,74	228,36	1	228,36	Yes	
	NASYP:	0	0,51	1	0,51	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	17,48		17,48		
	Default (replaced):	0	16,97	1	16,97	Yes	
	Default (not replaced):	3,74	83,65	1	83,65	No	
	Total Default:	3,74	100,62	1	100,62		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,36	179,74	1	179,74	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,27	68,87	1	68,87	No	
6+75,00							5715,69
	WYKOP:	10,89	245,42	1	245,42	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0		0		
	Default (replaced):	0	0	1	0	Yes	
	Default (not replaced):	4,83	107,16	1	107,16	No	
	Total Default:	4,83	107,16	1	107,16		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	8,46	197,8	1	197,8	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,82	63,67	1	63,67	No	
7+00,00							5962
	WYKOP:	8,81	246,32	1	246,32	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0		0		
	Default (replaced):	0	0	1	0	Yes	
	Default (not replaced):	3,82	108,11	1	108,11	No	
	Total Default:	3,82	108,11	1	108,11		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,46	199,01	1	199,01	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,73	69,38	1	69,38	No	
7+25,00							6150,99
	WYKOP:	6,99	197,57	1	197,57	Yes	
	NASYP:	0	0,02	1	0,02	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,69	8,57		8,57		
	Default (replaced):	0,68	8,56	1	8,56	Yes	
	Default (not replaced):	3,66	93,5	1	93,5	No	
	Total Default:	4,34	102,05	1	102,05		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	6,73	177,39	1	177,39	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	3,55	78,5	1	78,5	No	
7+50,00							6297,52
	WYKOP:	6,31	166,33	1	166,33	Yes	
	NASYP:	0,06	0,8	1	0,8	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,9	19,8		19,8		
	Default (replaced):	0,84	19	1	19	Yes	
	Default (not replaced):	3,47	89,12	1	89,12	No	
	Total Default:	4,31	108,12	1	108,12		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	6,57	166,28	1	166,28	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,39	74,34	1	74,34	No	
7+70,82							6407,57
	WYKOP:	6,52	133,58	1	133,58	Yes	
	NASYP:	0,29	3,62	1	3,62	Yes	

NASYP PO UWZGLEDNIENIU HUMUSU:		1,36	23,53	1	23,53	
Default (replaced):		1,08	19,9	1	19,9	Yes
Default (not replaced):		3,36	71,1	1	71,1	No
Total Default:		4,43	91	1	91	
01 sma scieralna:		0,24	5,03	1	5,03	No
03 ba podbudowa:		0,44	9,14	1	9,14	No
PODUSZKA KERAMZYTOWA		6,52	136,3	1	136,3	No
02 ba wiazaca:		0,31	6,39	1	6,39	No
04 kruszywo podbudowa:		1,37	28,59	1	28,59	No
W-wa mrozoochronna		2,07	46,46	1	46,46	No
7+75,00						6430,12
WYKOP:		6,78	27,76	1	27,76	Yes
NASYP:		0,26	1,15	1	1,15	Yes
NASYP PO UWZGLEDNIENIU HUMUSU:		1,13	5,2	1	5,2	
Default (replaced):		0,87	4,05	1	4,05	Yes
Default (not replaced):		3,61	14,54	1	14,54	No
Total Default:		4,47	18,6	1	18,6	
01 sma scieralna:		0,24	1,01	1	1,01	No
03 ba podbudowa:		0,44	1,83	1	1,83	No
PODUSZKA KERAMZYTOWA		6,53	27,26	1	27,26	No
02 ba wiazaca:		0,31	1,28	1	1,28	No
04 kruszywo podbudowa:		1,37	5,73	1	5,73	No
W-wa mrozoochronna		2,15	8,8	1	8,8	No
8+00,00						6588,04
WYKOP:		7,87	183,15	1	183,15	Yes
NASYP:		0,04	3,78	1	3,78	Yes
NASYP PO UWZGLEDNIENIU HUMUSU:		0,89	25,23	1	25,23	
Default (replaced):		0,85	21,45	1	21,45	Yes
Default (not replaced):		3	82,61	1	82,61	No
Total Default:		3,85	104,06	1	104,06	
01 sma scieralna:		0,24	6,04	1	6,04	No
03 ba podbudowa:		0,44	10,97	1	10,97	No
PODUSZKA KERAMZYTOWA		5,94	155,94	1	155,94	No
02 ba wiazaca:		0,31	7,67	1	7,67	No
04 kruszywo podbudowa:		1,37	34,33	1	34,33	No
W-wa mrozoochronna		2,51	58,18	1	58,18	No
8+10,82						6660,42
WYKOP:		7,35	82,41	1	82,41	Yes
NASYP:		0,06	0,53	1	0,53	Yes
NASYP PO UWZGLEDNIENIU HUMUSU:		0,97	10,03	1	10,03	
Default (replaced):		0,9	9,5	1	9,5	Yes
Default (not replaced):		2,99	32,46	1	32,46	No
Total Default:		3,9	41,96	1	41,96	
01 sma scieralna:		0,24	2,62	1	2,62	No
03 ba podbudowa:		0,44	4,75	1	4,75	No
PODUSZKA KERAMZYTOWA		5,98	64,54	1	64,54	No
02 ba wiazaca:		0,31	3,32	1	3,32	No
04 kruszywo podbudowa:		1,37	14,86	1	14,86	No
W-wa mrozoochronna		2,33	26,17	1	26,17	No
8+25,00						6748,59
WYKOP:		7,1	102,43	1	102,43	Yes
NASYP:		0,13	1,34	1	1,34	Yes
NASYP PO UWZGLEDNIENIU HUMUSU:		1,05	14,25	1	14,25	
Default (replaced):		0,92	12,92	1	12,92	Yes
Default (not replaced):		3,15	43,56	1	43,56	No
Total Default:		4,07	56,48	1	56,48	
01 sma scieralna:		0,24	3,43	1	3,43	No
03 ba podbudowa:		0,44	6,22	1	6,22	No
PODUSZKA KERAMZYTOWA		6,12	85,81	1	85,81	No
02 ba wiazaca:		0,31	4,35	1	4,35	No
04 kruszywo podbudowa:		1,37	19,47	1	19,47	No
W-wa mrozoochronna		2,09	31,32	1	31,32	No
8+50,00						6942,56
WYKOP:		9,46	207,03	1	207,03	Yes
NASYP:		0	1,59	1	1,59	Yes
NASYP PO UWZGLEDNIENIU HUMUSU:		0	13,07	1	13,07	

	Default (replaced):	0	11,47	1	11,47	Yes	
	Default (not replaced):	4,19	91,72	1	91,72	No	
	Total Default:	4,19	103,19	1	103,19		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	9,94	200,73	1	200,73	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,15	53,06	1	53,06	No	
8+51,20							6953,96
	WYKOP:	9,47	11,4	1	11,4	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0		0		
	Default (replaced):	0	0	1	0	Yes	
	Default (not replaced):	4,25	5,08	1	5,08	No	
	Total Default:	4,25	5,08	1	5,08		
	01 sma scieralna:	0,24	0,29	1	0,29	No	
	03 ba podbudowa:	0,44	0,53	1	0,53	No	
	PODUSZKA KERAMZYTOWA	10	12	1	12	No	
	02 ba wiazaca:	0,31	0,37	1	0,37	No	
	04 kruszywo podbudowa:	1,37	1,65	1	1,65	No	
	W-wa mrozoochronna	2,22	2,63	1	2,63	No	
8+75,00							7192,04
	WYKOP:	10,54	238,08	1	238,08	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0		0		
	Default (replaced):	0	0	1	0	Yes	
	Default (not replaced):	4,26	101,27	1	101,27	No	
	Total Default:	4,26	101,27	1	101,27		
	01 sma scieralna:	0,24	5,75	1	5,75	No	
	03 ba podbudowa:	0,44	10,45	1	10,45	No	
	PODUSZKA KERAMZYTOWA	10,3	241,46	1	241,46	No	
	02 ba wiazaca:	0,31	7,3	1	7,3	No	
	04 kruszywo podbudowa:	1,37	32,68	1	32,68	No	
	W-wa mrozoochronna	3,31	65,7	1	65,7	No	
8+91,20							7360,41
	WYKOP:	10,25	168,37	1	168,37	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0		0		
	Default (replaced):	0	0	1	0	Yes	
	Default (not replaced):	4,43	70,43	1	70,43	No	
	Total Default:	4,43	70,43	1	70,43		
	01 sma scieralna:	0,24	3,92	1	3,92	No	
	03 ba podbudowa:	0,44	7,11	1	7,11	No	
	PODUSZKA KERAMZYTOWA	10,64	169,6	1	169,6	No	
	02 ba wiazaca:	0,31	4,97	1	4,97	No	
	04 kruszywo podbudowa:	1,37	22,25	1	22,25	No	
	W-wa mrozoochronna	3,56	55,59	1	55,59	No	
9+00,00							7448,89
	WYKOP:	9,87	88,48	1	88,48	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0		0		
	Default (replaced):	0	0	1	0	Yes	
	Default (not replaced):	4,56	39,56	1	39,56	No	
	Total Default:	4,56	39,56	1	39,56		
	01 sma scieralna:	0,24	2,13	1	2,13	No	
	03 ba podbudowa:	0,44	3,86	1	3,86	No	
	PODUSZKA KERAMZYTOWA	10,78	94,22	1	94,22	No	
	02 ba wiazaca:	0,31	2,7	1	2,7	No	
	04 kruszywo podbudowa:	1,37	12,08	1	12,08	No	
	W-wa mrozoochronna	3,5	31,02	1	31,02	No	
9+25,00							7699,15
	WYKOP:	10,15	250,25	1	250,25	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0		0		
	Default (replaced):	0	0	1	0	Yes	

	Default (not replaced):	4,03	107,45	1	107,45	No	
	Total Default:	4,03	107,45	1	107,45		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	9,85	257,89	1	257,89	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,66	76,91	1	76,91	No	
9+33,82							7784,04
	WYKOP:	10	88,89	1	88,89	Yes	
	NASYP:	0,08	0,36	1	0,36	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,9	3,99		3,99		
	Default (replaced):	0,82	3,63	1	3,63	Yes	
	Default (not replaced):	3,45	33	1	33	No	
	Total Default:	4,27	36,63	1	36,63		
	01 sma scieralna:	0,24	2,13	1	2,13	No	
	03 ba podbudowa:	0,44	3,87	1	3,87	No	
	PODUSZKA KERAMZYTOWA	9,15	83,78	1	83,78	No	
	02 ba wiazaca:	0,31	2,71	1	2,71	No	
	04 kruszywo podbudowa:	1,37	12,11	1	12,11	No	
	W-wa mrozochronna	2,28	21,76	1	21,76	No	
9+50,00							7934,52
	WYKOP:	9,72	159,55	1	159,55	Yes	
	NASYP:	0	0,66	1	0,66	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,22	9,08		9,08		
	Default (replaced):	0,22	8,42	1	8,42	Yes	
	Default (not replaced):	3,17	53,48	1	53,48	No	
	Total Default:	3,38	61,9	1	61,9		
	01 sma scieralna:	0,24	3,91	1	3,91	No	
	03 ba podbudowa:	0,44	7,1	1	7,1	No	
	PODUSZKA KERAMZYTOWA	7,58	135,34	1	135,34	No	
	02 ba wiazaca:	0,31	4,96	1	4,96	No	
	04 kruszywo podbudowa:	1,37	22,21	1	22,21	No	
	W-wa mrozochronna	2,33	37,3	1	37,3	No	
9+75,00							8172
	WYKOP:	9,71	242,9	1	242,9	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,22	5,42		5,42		
	Default (replaced):	0,22	5,42	1	5,42	Yes	
	Default (not replaced):	3,21	79,68	1	79,68	No	
	Total Default:	3,42	85,1	1	85,1		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	7,58	189,62	1	189,62	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozochronna	2,18	56,47	1	56,47	No	
9+82,37							8243,8
	WYKOP:	10,23	73,44	1	73,44	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,23	1,64		1,64		
	Default (replaced):	0,23	1,64	1	1,64	Yes	
	Default (not replaced):	3,45	24,51	1	24,51	No	
	Total Default:	3,67	26,15	1	26,15		
	01 sma scieralna:	0,24	1,78	1	1,78	No	
	03 ba podbudowa:	0,44	3,23	1	3,23	No	
	PODUSZKA KERAMZYTOWA	8,06	57,62	1	57,62	No	
	02 ba wiazaca:	0,31	2,26	1	2,26	No	
	04 kruszywo podbudowa:	1,37	10,12	1	10,12	No	
	W-wa mrozochronna	2,35	16,69	1	16,69	No	
10+00,00							8421,72
	WYKOP:	10,42	182,03	1	182,03	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,24	4,11		4,11		
	Default (replaced):	0,24	4,11	1	4,11	Yes	
	Default (not replaced):	3,84	64,19	1	64,19	No	
	Total Default:	4,07	68,3	1	68,3		

	01 sma scieralna:	0,24	4,26	1	4,26	No	
	03 ba podbudowa:	0,44	7,74	1	7,74	No	
	PODUSZKA KERAMZYTOWA	8,58	146,68	1	146,68	No	
	02 ba wiazaca:	0,31	5,41	1	5,41	No	
	04 kruszywo podbudowa:	1,37	24,21	1	24,21	No	
	W-wa mrozoochronna	2,74	44,85	1	44,85	No	
10+25,00							8674,95
	WYKOP:	10,08	256,19	1	256,19	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	2,97		2,97		
	Default (replaced):	0	2,97	1	2,97	Yes	
	Default (not replaced):	3,61	93,12	1	93,12	No	
	Total Default:	3,61	96,09	1	96,09		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	8	207,28	1	207,28	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,23	62,07	1	62,07	No	
10+46,47							8879,79
	WYKOP:	9,63	211,55	1	211,55	Yes	
	NASYP:	0	0,02	1	0,02	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,62	6,7		6,7		
	Default (replaced):	0,62	6,68	1	6,68	Yes	
	Default (not replaced):	3,92	80,94	1	80,94	No	
	Total Default:	4,55	87,63	1	87,63		
	01 sma scieralna:	0,24	5,19	1	5,19	No	
	03 ba podbudowa:	0,44	9,42	1	9,42	No	
	PODUSZKA KERAMZYTOWA	8,71	179,42	1	179,42	No	
	02 ba wiazaca:	0,31	6,59	1	6,59	No	
	04 kruszywo podbudowa:	1,37	29,48	1	29,48	No	
	W-wa mrozoochronna	2,84	54,35	1	54,35	No	
10+50,00							8911,08
	WYKOP:	9,51	33,76	1	33,76	Yes	
	NASYP:	0,01	0,02	1	0,02	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,77	2,47		2,47		
	Default (replaced):	0,76	2,45	1	2,45	Yes	
	Default (not replaced):	3,95	13,88	1	13,88	No	
	Total Default:	4,71	16,33	1	16,33		
	01 sma scieralna:	0,24	0,85	1	0,85	No	
	03 ba podbudowa:	0,44	1,55	1	1,55	No	
	PODUSZKA KERAMZYTOWA	8,76	30,81	1	30,81	No	
	02 ba wiazaca:	0,31	1,08	1	1,08	No	
	04 kruszywo podbudowa:	1,37	4,84	1	4,84	No	
	W-wa mrozoochronna	2,91	10,14	1	10,14	No	
10+75,00							9136,09
	WYKOP:	9,26	234,68	1	234,68	Yes	
	NASYP:	0	0,14	1	0,14	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	9,68		9,68		
	Default (replaced):	0	9,55	1	9,55	Yes	
	Default (not replaced):	3,87	97,73	1	97,73	No	
	Total Default:	3,87	107,28	1	107,28		
	01 sma scieralna:	0,24	6,04	1	6,04	No	
	03 ba podbudowa:	0,44	10,97	1	10,97	No	
	PODUSZKA KERAMZYTOWA	8,43	214,88	1	214,88	No	
	02 ba wiazaca:	0,31	7,67	1	7,67	No	
	04 kruszywo podbudowa:	1,37	34,33	1	34,33	No	
	W-wa mrozoochronna	2,21	64,06	1	64,06	No	
10+76,47							9149,66
	WYKOP:	9,18	13,57	1	13,57	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0		0		
	Default (replaced):	0	0	1	0	Yes	
	Default (not replaced):	3,9	5,72	1	5,72	No	
	Total Default:	3,9	5,72	1	5,72		
	01 sma scieralna:	0,24	0,36	1	0,36	No	

	03 ba podbudowa:	0,44	0,65	1	0,65	No	
	PODUSZKA KERAMZYTOWA	8,44	12,42	1	12,42	No	
	02 ba wiazaca:	0,31	0,45	1	0,45	No	
	04 kruszywo podbudowa:	1,37	2,02	1	2,02	No	
	W-wa mrozoochronna	2,14	3,2	1	3,2	No	
10+90,53							9279,73
	WYKOP:	9,33	130,07	1	130,07	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0	0		0		
	Default (replaced):	0	0	1	0	Yes	
	Default (not replaced):	3,82	54,26	1	54,26	No	
	Total Default:	3,82	54,26	1	54,26		
	01 sma scieralna:	0,24	3,4	1	3,4	No	
	03 ba podbudowa:	0,44	6,17	1	6,17	No	
	PODUSZKA KERAMZYTOWA	7,38	111,18	1	111,18	No	
	02 ba wiazaca:	0,31	4,31	1	4,31	No	
	04 kruszywo podbudowa:	1,37	19,3	1	19,3	No	
	W-wa mrozoochronna	2,17	30,27	1	30,27	No	
11+00,00							9365,02
	WYKOP:	8,9	86,33	1	86,33	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,22	1,03		1,03		
	Default (replaced):	0,22	1,03	1	1,03	Yes	
	Default (not replaced):	3,69	35,55	1	35,55	No	
	Total Default:	3,91	36,58	1	36,58		
	01 sma scieralna:	0,24	2,29	1	2,29	No	
	03 ba podbudowa:	0,44	4,16	1	4,16	No	
	PODUSZKA KERAMZYTOWA	7,42	70,06	1	70,06	No	
	02 ba wiazaca:	0,31	2,9	1	2,9	No	
	04 kruszywo podbudowa:	1,37	13	1	13	No	
	W-wa mrozoochronna	1,87	19,12	1	19,12	No	
11+20,53							9543,87
	WYKOP:	8,75	181,19	1	181,19	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,01	2,35		2,35		
	Default (replaced):	0,01	2,35	1	2,35	Yes	
	Default (not replaced):	3,98	78,72	1	78,72	No	
	Total Default:	3,99	81,07	1	81,07		
	01 sma scieralna:	0,24	4,96	1	4,96	No	
	03 ba podbudowa:	0,44	9,01	1	9,01	No	
	PODUSZKA KERAMZYTOWA	7,48	152,93	1	152,93	No	
	02 ba wiazaca:	0,31	6,3	1	6,3	No	
	04 kruszywo podbudowa:	1,37	28,19	1	28,19	No	
	W-wa mrozoochronna	1,98	39,57	1	39,57	No	
11+25,00							9582,94
	WYKOP:	8,92	39,5	1	39,5	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,18	0,43		0,43		
	Default (replaced):	0,18	0,43	1	0,43	Yes	
	Default (not replaced):	3,61	16,96	1	16,96	No	
	Total Default:	3,79	17,38	1	17,38		
	01 sma scieralna:	0,24	1,08	1	1,08	No	
	03 ba podbudowa:	0,44	1,96	1	1,96	No	
	PODUSZKA KERAMZYTOWA	7,36	33,17	1	33,17	No	
	02 ba wiazaca:	0,31	1,37	1	1,37	No	
	04 kruszywo podbudowa:	1,37	6,14	1	6,14	No	
	W-wa mrozoochronna	2,15	9,23	1	9,23	No	
11+48,00							9774,04
	WYKOP:	8,11	195,83	1	195,83	Yes	
	NASYP:	0	0	1	0	Yes	
	NASYP PO UWZGLEDNIENIU HUMUSU:	0,23	4,73		4,73		
	Default (replaced):	0,23	4,73	1	4,73	Yes	
	Default (not replaced):	3,61	83,02	1	83,02	No	
	Total Default:	3,84	87,75	1	87,75		
	01 sma scieralna:	0,24	5,56	1	5,56	No	
	03 ba podbudowa:	0,44	10,1	1	10,1	No	
	PODUSZKA KERAMZYTOWA	7,32	168,87	1	168,87	No	

02 ba wiazaca:	0,31	7,05	1	7,05	No
04 kruszywo podbudowa:	1,37	31,58	1	31,58	No
W-wa mrozoochronna	1,5	41,9	1	41,9	No

Razem:

WYKOP:	11787,93	11787,93	Yes
NASYP:	18,87	18,87	Yes
NASYP PO UWZGLEDNIENIU HUMUSU:	465,89	465,89	

Default (replaced):	481,02	481,02	Yes
Default (not replaced):	3778,85	3778,85	No
Total Default:	4259,87	4259,87	

01 sma scieralna:	278,56	278,56	No
03 ba podbudowa:	505,19	505,19	No
PODUSZKA KERAMZYTOWA	8562,21	8562,21	No
02 ba wiazaca:	335,11	335,11	No
04 kruszywo podbudowa:	1587,61	1587,61	No
W-wa mrozoochronna	2838,37	2838,37	No